

-SEWING MACHINE-

Reference Guide

UPDATED FEBRUARY 2025

----- WWW.JANOME.CA -----


ABOUT OUR COMPANY

Janome is proud to be among the largest manufacturers of domestic sewing machines in the World. Founded in 1921, Janome has a long and accomplished heritage of building high quality, innovative products that provide a reliable and pleasurable sewing experience for Sewists around the world. Our products are distributed in over 100 countries and are manufactured in Janome owned facilities in Japan, Taiwan and Thailand.

Janome has been a trail blazer for the sewing industry. Our company established the first-ever sewing machine research Centre in 1979, we were the first to develop a computerized sewing machine for home use, the Memory 7. This was followed by the Memory Craft 8000 in 1990, offering for the first time ever professional style embroidery for the home use market. The Sewing industry was again changed with the introduction of the memory Craft 6500 Professional, a high speed, all metal flatbed sewing machine offering unheard of sewing space and convenience without the large size and bulkiness of an industrial sewing machine. We followed this model up with numerous generations of even larger sewing space and faster performance resulting in the Continental M7 launched in 2019. And then in 2022 Janome introduced the Continental M17 sewing, quilting and embroidery machine with milestones that once again, led the way in home sewing.

We take our history very seriously. Everyday, highly experienced designers assess the sewing needs of the entire range of Janome customers: from the budding sewist to the highly skilled, expert embroiderer. Our mission is to constantly find new ways to improve the features and performance of the Janome line-up to meet their ever-evolving needs.

From our top of the line flagship machines to our everyday value models, you can rely on Janome's enduring commitment to innovative design, unparalleled reliability and consistent quality. We stand behind every one of our products and with the support of our network of trained and authorized dealers, we strive to provide each of our Janome users with the happy and satisfying experience of making the most of what they love.



Machine Index

Englandidam		Value Carrier	
Embroidery	PAGE	Value Sewing	PAGE
Continental M17	05	HD5000	27
Skyline S9 Indigo	07	HD3000-BE	28
Memory Craft 9850 Special Edition	08	HD1000-BE	29
Memory Craft 550ELE	09	HD1000	29
		Sewist 625E	30
Professional Sewing		SUV1108	31
Continental M8	10	MyStyle 100 (512)	32
Continental M6	11	1522 RD	33
Memory Craft 9480QCP	12	1522 DG	33
Memory Craft 9410QC	13	Artistic Crystal - 311	34
Memory Craft 8200QCP SE	14	234	34
Memory Craft 6700P	15		
Memory Craft 6650	16	Sergers	
HD9BE	17	AT2000D	35
HD9	17	MyLock 454D	36
		Pro4DX	37
Computerized Sewing		FA4	38
Skyline S7	18	Four DLB	39
Skyline S6	19	8002D	40
Skyline S5	20		
Skyline S3	21	Cover Hems	
5300 QDC	22	CoverPro 3000 Professional	41
4120 QDC	23	CoverPro 2000CPX	42
3160 QDC	24		
2030 DC	25		
C30	26		

Product Classification

Low Shank ©SL Side Loading Bobbin

Use this quick reference guide to determine compatibility of an accessory with your Janome sewing machine.

Category A

7 mm Sewing or Embroidery Combo (High Shank)

- Memory Craft (9700, 10000, 10001, 11000)
- Skyline S3

Category B

Embroidery Only

- Memory Craft (230E, 350E. 400E, 450, 500E, 550E)

Category C

7 mm Sewing with AcuFeed (High Shank)

- Memory Craft (6500P, 6600P, 7700QCP)

Category D

7 mm Sewing Models (Low Shank)

- C30
- DC (2019, 6030, 7060, 7100)
- MC(5200, 4900)
- QDC (2160, 2030, 3160, 4030, 4120, 4300, 5060, 5300)
- Maker (M50, M100, M150, M200)
- QC (6260, 6100)
- Sewist (740DC, 780DC)
- Schoolmate 7330

Category E

6.5 mm Sewing (Low Shank, Top-loading, Horizontal rotary hook - Mechanical)

- Décor (5024, 5018, 5124)
- HD (718, 3000, 5000)
- MyExcel 18/23
- MyExcel (4014, 4018, 4023, 4123)
- QC (6019, 6125)

Category F

5 mm Sewing (Low Shank, Top Loading - Mechanical)

- 7127
- Jem (Platinum 760)
- Jem (Gold, Gold 2)
- Sewist (521, 525, 625E, 709, 721, 725S)
- Magnolia 7318
- Sew Mini

Category G

Front loading (Low Shank, Oscillating hook - Mechanical)

- 1522 (RD, DG, DB, PG)
- 234, 2212, 2112, 3012, 3016, 3022, 419S, 423S, 415, 405
- 311 (Arctic Crystal, Blue Couture, Pink Sorbet)
- HD 1000
- L (372, 373, 392, 393)
- SUV (1108, 1122)

Category H

Serger

- 8002D, 9102D
- AT2000D
- FA
- FourDLB/DLM
- XG-43D
- Magnolia 7034D
- MyLock 454D
- PG (792, 793)

Category I

Cover-Stitch

- CPX (900, 1000, 2000)
- CoverPro 3000P

Category J

Straight Stitch (High Shank)

- 1600P
- HD-9

Category K

Needle Punching

- FM725

Category L

Multi-Needle Embroidery

- MB-4, MB-4S, MB-7

Category M

Combination Sergers and Cover-stitch

- 1100D*
- 1200D

Category N

9 mm Sewing and Embroidery with AcuFeed (High Shank)

- Continental M17 ††
- Skyline S9
- Memory Craft (12000, 14000, 15000)

Category O

9 mm Sewing and Embroidery (High Shank)

- Memory Craft (9900, 9850)

Category P

9 mm Sewing with AcuFeed (High Shank)

- Continental M7, M6
- Continental M8 ⁺⁺
- Memory Craft (6700P, 8200QCP, 8900QCP, 9400QCP, 9410QC, 9450QCP)
- Memory Craft 9480QCP ⁺⁺
- Skyline (S7, S6)

Category Q

9 mm Sewing (High Shank)

- Skyline S5
- MC 6650

^{††} A.S.R. Compatible

^{*}May not be compatible with all serger accessories

Continental M17 Professional



(||| 7

(LHS)





Maximum embroidery: 11 x 18.1" | 5 Hoops included | 1,230 Built-in embroidery designs | Thumb wheel | 13.5" of Workspace | A.S.R. (Accurate Stitch Regulator) | 3 Needle plates Dual touchscreens

FEATURES _

Sewing

- Thumb wheel precisely controls needle position
- 850 Stitches
- 13 One-step buttonholes
- Maximum Sewing Speed: 1,300 spm (Straight Stitch) 1,000 spm (Zig zag Stitch)
- 7-Piece feed dog
- 91 Needle positions
- Variable zig zag for thread painting with width adjustment for satin stitch
- Maximum stitch width: 9 mm
- Maximum stitch length: 5 mm

Quilting

- Accurate Stitch Regulator adjusts to suit individual skill levels
- Four attachments including Ruler Work
- AcuFeed Flex feeding system
- HP foot and needle plate system
- Seamless workspace, 13.5 x 5.5" to the right of the needle
- Drop feed

Embroidery

- 1,230 Built-in embroidery designs
- 10 Fonts with European characters
- 2 and 3 Letter monogramming function
- Embroidery speeds up to 1,200 spm
- LED Embroidery spotlight positioning marker
- Maximum embroidery size: 11 x 18.1" (280 x 460 mm)
- RE46d carbon fibre reinforced hoop provides increase strength and rigidity
- Quick-tightening embroidery hoop levers
- Gantry style embroidery arm with 5 hoops
- Adjustable hoop positioning
- Design transfer options: Wireless, USB and Direct PC connection
- Embroidery format: .JEF, .JEF+, .JPX
- Editing functions: Resize, Rotate, Flip, Zoom, Duplicate, Combine, Sewing Order, Single Colour Sewing, Colour Grouping, Corner Layout
- Programmable jump thread trimming
- Adjustable speed while embroidering / flexible stitch traveling by units of 1, 10, 100, and 500
- Automatic enabling cutwork
- Auto return post thread break
- Thread brand colour selection

Technology and Engineering

- Optical bobbin sensor
- Dual full colour LCD touchscreens: Right Screen 10.1" (800 x 1280 mm), Middle Screen 4.3" (480 x 270 mm)
- Full intensity shadow free lighting system with 9 bright LEDs in 4 locations
- AcuView Magnifiers (20x, 40x, 60x)
- Includes Artistic Digitizer JR software, compatible with both MacBook and PC
- PC Based Programs included: Stitch Composer, Quilt Block Advisor, Screen Saver Tool
- Wireless LAN Certified to work with our 5 apps for both Apple and Android devices: AcuAssist - On-screen help with in-app tutorials and instruction Embroidery-Link – Wireless embroidery editing and monitoring AcuSetter – Clothsetter application for proper embroidery placement AcuSketch – Turn free-hand drawing into digitized embroidery designs

ScreenSaver – Upload your own images to the

- machine screensavers - Automatic one-step needle plate lift with soft close
- Self-opening top cover, Pop-up spool pins

Continental M17 Professional CONTINUED

FEATURES _

- Built-in storage space:
 Embroidery unit extension table, top and back of machine
- Clock Display
- Automatic thread tension
- Automatic needle threader
- -- Automatic thread cutter with memory function
- Twin needle setting

Easy convenience buttons: Memorized needle up/down, Automatic presser foot lift, Start/stop button, Speed control slider, Locking stitch button, Easy reverse button

- Memory capability: up to 64 MB of storage
- Adjustable knee lift

- Independent bobbin winding motor up to 2,000 RPM
- Extra high presser foot lift
- Foot pressure adjustment
- Foot height adjustment
- Top loading full rotary hook
- Online instructional videos

Included Accessories

Sewing Feet

- Zig zag foot A
- Overcasting foot M
- Satin stitch foot F
- Blind hemming foot G
- Zipper foot E
- CONCEAL Zipper foot Z
- Automatic buttonhole foot R
- Stabilizer plate
- Rolled hem foot D
- Satin stitch open-toe foot F2
- Button sewing foot T
- 1/4" Seam foot O
- 1/4" Seam foot O (without guide)
- Professional grade foot HP
- Darning foot PD-H
- Darning foot (open-toe) PD-H
- AcuFeed Flex holder: twin, single and Professional grade HP2
- AcuFeed Flex feet: AD (twin), Quilt piecing foot OD (twin), Open-toe foot UD (twin), Ditch quilting foot SD (twin), Professional grade foot HP2, VD (single), Zipper foot ED (single)
- Free motion quilting: Closed-toe foot QC, open-toe foot QO, Zig zag foot QV
- Variable zig zag open-toe foot $\ensuremath{\mathsf{QZ}}$
- Ruler work foot QR
- A.S.R. (Accurate Stitch Regulator) unit with 4 A.S.R. (closed-toe, clear-view, open-toe and ruler work foot)
- Embroidery foot P
- Embroidery Couching foot PC-1
- Embroidery Couching foot PC-2
- Yarn guide

Sewing Accessories

- 3 Needle plates: Zig zag, Straight stitch, Professional grade HP
- Touch panel stylus
- Cloth guide
- Quilting guide bar
- Button shank plate
- AcuView magnifiers (3) x20, x40, x60
- Knee lifter
- Foot control (Extra Large)
- Remote thread cutter
- USB cable
- Accessory case and Cover (Semi-hard)
- Bobbins (5), Needle set, Lint brush, Scissors, Seam ripper, Screwdriver, Spool nets (2), Spool holders: large (2), small (2), special (2), Spool pins (2), Bobbin holder cleaner

Instructionals

- Instructional video (Web download)
- Sewing Manual (Web download)
- Embroidery Manual (Web download)
- Quick start guide
- Threading guide

Embroidery Accessories

- Embroidery hoops:
- RE46d 11 x 18.1" (280 x 460 mm) SQ28d 11x 11" (280 x 280 mm) RE20d 5.5 x 7.9" (140 x 200 mm) SQ10d 3.9 x 3.9" (100 x 100 mm) ASQ27d (270 x 270 mm)
- Magnetic clamps (8) for RE46d and SQ28d
- Magnetic clamps (8) for ASQ27d
- Special bobbin holder for embroidery
- Positioning marker embroidery foot

Embroidery Starter Kit

- Felt (320 x 320 mm and 500 x 620 mm)
- Stabilizers (320 x 320 mm and 500 x 620 mm)
- Bobbin thread for embroidery

Software and Applications

- PC applications (Web download):
 Stitch Composer, Screen Saver Tool,
 Quilt Block Adviser
- Artistic Digitizer Jr.







20 Fonts for Monogramming



Optional Professional HP Needle Plate and Foot



Maximum embroidery: 6.7 x 7.9" | 250 Built-in embroidery designs | 20 Fonts for monogramming

8.25" Throat space | Free arm | Automatic thread tension control | Stitch tapering with knee lifter

FEATURES __

Technical

- Top loading full rotary hook
- One-step needle plate conversion
- Enhanced needle plate
- 7-Piece feed dog
- Superior needle threader
- Drop feed
- Snap-on presser feet
- Extra high presser foot lift
- Bobbin winding plate with cutter
- Easy set bobbin
- Auto declutch bobbin winder
- Lighting: 6 LEDs in 3 locations
- Free arm / flat bed convertible
- Design transfer via USB, wireless and direct PC connection
- Accessory storage
- Work space: W 8.5" x H 4.7"
- Size: W 20" x H 12" x D 9"
- Weight: 11.8 kg (26 lb)

Sewing

- AcuFeed Flex fabric feeding system
- 300 Stitches with 3 fonts
- 16 One-step buttonholes

- Maximum stitch width: 9 mm
- Maximum stitch length: 5 mm
- Maximum sewing speed: 1,000 spm
- Needle positions: 91
- Twin needle setting
- Automatic thread tension
- Automatic foot pressure adjustment
- AcuGuide: Automatic cloth guide
- Memory function, Last stitch recall capability
- Stitch tapering function, Variable zig zag

Embroidery

- 250 Built-in embroidery designs
- 20 Fonts for monogramming
- Maximum embroidery size: 6.7 x 7.9"
- Embroidery sewing speed up to 800 spm Adjustable while embroidering
- On-screen editing functions include enlarge/ reduce, rotate, turnover, drag and drop, re-edit, zoom, arc, combine
- Programmable jump thread trimming
- Flexible stitch traveling by 1, 10, 100, 500
- Auto return post thread break
- Adjustable hoop position even after starting
- Cutwork enabled
- Embroidery couching function

Interactive

- 5.75" Touchscreen with stylus
- Start/stop, Reverse, Lock stitch, Needle up/down, Automatic thread cutter, Automatic presser foot lift
- Speed control slide
- Knee lift

- Satin stitch foot F, Blind hemming foot G, Open-toe satin stitch foot F2, Darning foot PD-H, Free motion quilting (closed-toe foot QC, open-toe foot QO, zig zag foot QV), 1/4 seam foot O, Couching foot PC-1 and PC-2
- Acufeed Flex twin foot holder with AD foot. 1/4" foot OD, Open-toe foot UD
- Acufeed Flex single foot holder with VD foot, Zipper foot ED
- Embroidery foot P
- 2 Needle plates: Zig zag, Straight stitch
- Yarn guide and bar
- Knee Lifter
- Hoops: RE20a: 6.7 x 7.9" (170 x 200 mm), SQ14a: 5.5 x 5.5" (140 x 140 mm) FA10a: 3.9 x 1.6" (100 x 40 mm)
- Magnetic clamps (4)

Memory Craft 9850 SE



(||| 7

LHS

(©TL)





One-step Needle Plate



Flip Top Stitch Chart and Storage



Maximum embroidery: 6.7 x 7.9" | 175 Built-in embroidery designs | 2 Hoops (SQ14a and RE20a)

On-board memory storage | Sewing application support with on-screen help | Free arm | Touchscreen

FEATURES _

Technical

- Top loading full rotary hook
- One-step needle plate conversion
- Enhanced needle plate
- 7-Piece feed dog
- Superior needle threader
- Drop feed
- Snap-on presser feet
- Extra high presser foot lift
- Bobbin winding plate with cutter
- Easy set bobbin
- Auto declutch bobbin winder
- Lighting: 5 LEDs in 3 locations
- Memory capability: up to 3MB of storage
- Free arm / flat bed convertible
- Design transfer via USB Port
- Remote thread cutter port
- Accessory storage
- Work space: W 8.1 x H 4.7"
- Size: W 18.7 x H 12.4 x D 8.8"
- Weight: 10.4 kg (22.9 lb)

Sewing

- Superior Feed System Plus
- 200 Stitches with 2 Fonts
- 6 One-step buttonholes
- Maximum stitch width: 9 mm
- Maximum stitch length: 5 mm
- Maximum sewing speed: 1,000 spm
- Needle positions: 91
- Twin needle setting
- Automatic thread tension
- Foot pressure adjustment

Embroidery

- 175 Built-in embroidery designs
- 2 and 3 Letter monogramming function
- Maximum embroidery size: 6.7 x 7.9"
- Embroidery sewing speed: 60 800 spm
- Embroidery format: .JEF, .JEF+
- Editing functions: Resize, combine,duplicate, flip, arc, group, drag & drop,zoom, trace, user colour choice
- Programmable jump thread trimming

Technology

- Sewing application support with on-screen help

Interactive

- 5.75" Touchscreen with stylus
- Start/stop, Reverse, Lock stitch, Needle up/down, Automatic thread cutter
- Speed control slider

- Zig zag foot A, Overedge foot M, Satin stitch foot F, Blind hemming foot G, Zipper foot E, Automatic buttonhole foot R, Rolled hem foot D, Darning foot PD-H, Button sewing foot T, 1/4 seam foot O, Embroidery foot P
- Quilting guide bar
- Bobbin holder cleaner
- Embroidery unit and 2 hoops SQ14a hoop (5.5 x 5.5") RE20a (6.7 x 7.9") Optional Hoop: FA10 (3.9 x 1.6")
- Foot controller

Memory Craft 550E LE



(@TL)





Colour Touchscreen



USB with 30 Large **Exclusive Designs**



Maximum Embroidery: 7.9 x 14.2"

On-screen editing functions | Automatic thread cutter Magnetic clamps with 4 hoops | Programmable jump thread trimming | AcuStitch software

Touchscreen

FEATURES __

Technical

- Top loading full rotary hook bobbin
- Built-in advanced needle threader
- Easy set bobbin
- Bobbin winding plate with cutter
- Bobbin thread sensor
- Superior needle threader
- Design transfer via USB port
- Lighting: 5 LEDs in 3 locations
- Maximum embroidery size: 7.9 x 14.2"
- Size: W 21.3" x H 12.2" x D 11.6"
- Weight: 11.5 kg (25.4 lb)

Interactive

- 5.1" Touchscreen with stylus
- Start/stop
- Automatic thread cutter

Technology

- AcuStitch (PC compatible software)

Embroidery

- 180 Built-in designs
- 6 Fonts for monogramming
- 2 and 3 Letter monogramming
- Embroidery speed: 400-860 spm
- Embroidery format: JEF, JEF+ and JPX
- Programmable jump thread trimming
- Adjustable speed while embroidering
- On-screen editing functions include enlarge/ reduce, rotate, flip, drag and drop, arc, combine, copy and paste, grouping, corner layout, single colour sewing, zoom
- Flexible stitch traveling (by units of 1, 10, 100 and 500)
- Direct jump to desired stitch point
- Auto return post thread break
- Adjustable hoop positioning
- Thread brands include: Janome, Robison-Anton, Madeira, Mettler

Included Accessories

- Embroidery foot P
- Magnetic clamps and 4 hoops: RE36b (7.9 x 14.2"), SQ20b (7.9 x 7.9"), RE20b (5.5 x 7.9"), SQ14b (5.5 x 5.5")
- Extra wide extension table
- Reference chart
- Dust cover

Bonus: USB flash drive with 30 large designs







A.S.R. Ruler work Foot



AcuSpark2 App Machine Learning and Support



Seamless metal flatbed | Thumb wheel | Sewing applications with built-in support | 7" Touchscreen 13.5" Throat space | 3 Needle plates | A.S.R. (Accurate Stitch Regulator) | Low bobbin sensor

FEATURES __

Technical

- Seamless 17.81" aluminum flatbed
- Ball bearing supported drive shaft
- Thumb wheel precisely controls the needle
- Top loading full rotary hook
- Automatic one-touch needle plate
- Advanced needle plate
- 7-Piece feed dog
- Superior Needle Threader 2
- Drop feed sensor
- Snap-on presser feet
- Extra high presser foot lift
- Independent bobbin winding motor
- Easy set bobbin
- Low bobbin sensor
- Lighting: 9 LEDs in 4 locations
- Auto power-off timer
- Dual thread stand
- USB port
- Work space: W 13.5" x H 5.5"
- Size: W 25.6" x H 14.6" x D 10.2"
- Weight: 17.4 kg (38.4 lb)

Sewing

- AcuFeed Flex fabric feeding system
- 450 Stitches, includes 3 fonts plus 9 mm block capitals
- 12 Sensor buttonholes, 1 Automatic
- Maximum stitch width: 9 mm
- Maximum stitch length: 5 mm
- Maximum sewing speed: 1,300 spm
- Needle positions: 91
- Twin needle setting
- Automatic thread tension
- Foot pressure adjustment
- Functions: Tapering, Pattern selection, Mirroring, Ruler work mode, Variable zig zag, Floating mode

Interactive

- 7" Touchscreen with stylus (15 Languages)
- Start/stop, Reverse, Lock stitch,
 Needle up/down, Automatic thread cutter,
 Automatic presser foot lift
- Speed control slider
- Adjustment dials (Stitch length and width)
- Knee lift
- Remote thread cutter

Technology

- AcuSpark2 App: Machine learning and support
- Stitch Composer (PC compatible software)
- Quilt Block Advisor

- Accessory case with Zipper foot E, Satin foot F, Open-toe satin stitch foot F2, Concealed zipper foot Z Blind hem foot G, 1/4" seam foot O, 1/4" seam foot without quilting guide O, Closed-toe darning foot PD-H, Open-toe darning foot PD-H, Free motion quilting (closed-toe foot QC, Open-toe foot QO, Zig zag foot QV), Variable zig zag foot QZ, Ruler work foot QR
- Professional grade foot HP, AcuFeed Flex professional grade foot HP2, AcuFeed Flex dual/ twin foot holder with AD foot
- 3 Needle plates: Zig zag, Straight stitch, Professional grade HP
- Cloth Guide
- A.S.R. (Accurate Stitch Regulator), companion case with four A.S.R. feet (Closed-toe foot ASR-QC, Open-toe foot ASR-QO, Clear-view foot ASR-QV and Ruler work foot ASR-QR)
- Large foot controller and remote thread-cutter
- Extra wide extension table and knee lifter
- Semi-hard fabric cover

Continental M6



|| 7

LHS

(©TL)

(×AF





Dual Thread Stand



Powerful Multilayer Penetration



Seamless metal flatbed 13.5" Throat space

| Sewing applications with built-in support | 2 Needle plates | AcuFeed Flex (compatible)

7" Touchscreen
Low bobbin sensor

FEATURES _

Technical

- Seamless 17.81" aluminum flatbed
- Ball bearing supported drive shaft
- Top loading full rotary hook
- Automatic one-touch needle plate conversion
- Advanced needle plate
- 7-Piece feed dog
- Superior Needle Threader 2
- Drop feed sensor
- Snap-on presser feet
- Extra high presser foot lift
- Independent bobbin winding motor
- Easy set bobbin
- Low bobbin sensor
- Lighting: 9 LEDs in 4 locations
- Auto power-off timer
- Remote thread-cutter port
- Dual thread stand
- USB port
- Work space: W 13.5" x H 5.5"
- Size: W 25.6" x H 14.6" x D 10.2"
- Weight: 17.4 kg (38.4 lb)

Sewing

- AcuFeed Flex fabric feeding system
- 400 Stitches, includes 3 fonts plus 9 mm block capitals
- 12 Sensor buttonholes, 1 Automatic
- Maximum stitch width: 9 mm
- Maximum stitch length: 5 mm
- Maximum sewing speed: 1,300 spm
- Twin needle setting
- Needle positions: 91
- Automatic thread tension
- Foot pressure adjustment
- Functions: Tapering, Pattern selection, Mirroring, Ruler work mode, Variable zig zag with optional knee lifter

Interactive

- 7" Touchscreen with stylus (15 Languages)
- Start/stop, Reverse, Lock stitch, Needle up/down, Automatic thread cutter, Automatic presser foot lift
- Speed control slider
- Knee lift (optional)

Technology

- Sewing applications with built-in support
- Stitch Composer (PC compatible software)
- Quilt Block Advisor

- Zig zag foot A, Over edge foot M, Rolled hem foot (3mm) D, Zipper foot E, Satin foot F, Open-toe satin stitch foot F2, Blind hem foot G, 1/4" seam foot O, 1/4" seam foot without quilting guide O, Closed-toe darning foot PD-H, Open-toe darning foot PD-H, Variable zig zag foot QZ, Ruler work foot QR, Automatic buttonhole foot R with stabilizer plate, Button sewing foot T
- Free motion quilting (closed-toe foot QC, Open-toe foot QO, Zig zag foot QV),
- 2 Needle plates: Zig zag and Straight stitch
- Foot controller
- Semi-Hard case

^{*} CM6 is not A.S.R. Compatible



(≥ 9)

(||| 7

(LHS)

(@TL)

([×]AF)





Retractable Sewing Light



AcuSpark2 App Machine Learning and Support



A.S.R. (compatible) | Low bobbin sensor | Touchscreen | Free Arm | Float mode 11" Throat space | 3 Needle plates | Built-in sewing applications | Remote thread-cutter

FEATURES _

Technical

- Top loading full rotary hook
- One-step needle plate conversion
- Advanced needle plate
- 7-Piece feed dog (Enhanced)
- Superior needle threader 2
- Drop feed sensor
- Snap-on presser feet
- Extra high presser foot lift
- Easy set bobbin
- Auto declutch bobbin winder
- Low bobbin sensor
- Lighting: 9 LEDs in 4 locations
- Retractable sewing light
- Free arm / flat bed convertible
- Auto power-off timer
- Dual accessory bins plus upper storage
- Work space: W 11" x H 4.7"
- Size: W 21" x H 12.9" x D 9.6"
- Weight: 13.6 kg (30 lb)

Sewing

- AcuFeed Flex feeding system
- 400 Stitches with 4 fonts
- 11 One-step buttonholes
- Maximum stitch width: 9 mm
- Maximum stitch length: 5 mm
- Maximum sewing speed: 1,060 spm
- Needle positions: 91
- Twin needle setting
- Automatic thread tension
- Foot pressure adjustment
- Functions: Tapering, Pattern selection, Mirroring, Ruler work mode, Variable zig zag for free motion sewing, Float mode

Interactive

- 5" Touchscreen with stylus (16 Languages)
- Start/stop, Reverse, Lock stitch, Needle up/down, Automatic presser foot lift, Automatic thread cutter
- Speed control slider
- Adjustment dials (Stitch length and width)
- Knee lift

Technology

- AcuSpark2 App: Machine learning and support
- Stitch Composer (PC compatible software)

- Zig zag foot A, Over edge foot M, Rolled hem foot (3mm) D, Zipper foot E, Satin stitch foot F, Open-toe satin stitch foot F2, Blind hem foot G, 1/4" Seam foot O, 1/4" seam foot without quilting guide O, Closed-toe darning foot PD-H, Open-toe darning foot PD-H, Variable zig zag foot QZ, Ruler work foot QR, Automatic buttonhole foot R with stabilizer plate, Button sewing foot T, Button shank plate
- Free motion quilting (closed-toe foot QC, Opentoe foot QO, Zig zag foot QV)
- Professional grade foot HP, AcuFeed Flex professional grade foot HP2, AcuFeed Flex dual/ twin foot holder with AD foot
- 3 Needle plates: Zig zag, Straight stitch, Professional grade HP
- Cloth Guide and quilting guide bar
- Foot controller and remote thread-cutter
- Knee lifter
- Foot control- Extra wide extension table
- Accessory case
- Semi-Hard case

Memory Craft 9410QC

(≥ 9)

[||| 7

LHS

(@TL)

ĞAF





Enhanced Feed Dog



Sewing Applications with Built-in Support



AcuFeed Flex (compatible) | 2 Needle plates | Free arm | Touchscreen 11" Throat space | Superior needle threader 2 | Low bobbin sensor | Automatic thread cutter

FEATURES _

Technical

- Top loading full rotary hook
- One-step needle plate conversion
- Advanced needle plate
- 7-Piece feed dog (Enhanced)
- Superior needle threader 2
- Drop feed sensor
- Snap-on presser feet
- Extra high presser foot lift
- Easy set bobbin
- Auto declutch bobbin winder
- Low bobbin sensor
- Lighting: 9 LEDs in 4 locations
- Free arm / flat bed convertible
- Auto power-off timer
- Dual accessory bins plus upper storage
- Knee lifter socket
- Remote thread-cutter port
- USB port
- Work space: W 11" x H 4.7"
- Size: W 21" x H 12.9" x D 9.6"
- Weight: 13.6 kg (30 lb)

Sewing

- AcuFeed Flex (compatible)
- 300 Stitches with 4 fonts
- 11 One-step buttonholes
- Maximum stitch width: 9 mm
- Maximum stitch length: 5 mm
- Maximum sewing speed: 1,060 spm
- Needle positions: 91
- Twin needle setting
- Automatic thread tension
- Foot pressure adjustment
- Functions: Tapering, Patterning and combinations (up to 100), Mirroring, Ruler work mode, Variable zig zag

Interactive

- 5" Touchscreen with stylus (13 Languages)
- Start/stop
- Reverse
- Lock stitch
- Needle up/down
- Automatic presser foot lift
- Automatic thread cutter
- Speed control slider
- Knee lift (optional)

Technology

- Sewing applications with built-in support
- Stitch Composer (PC compatible software)

- Zig zag foot A
- Over edge foot M
- Rolled hem foot (3mm) D
- Zipper foot E
- Satin foot F
- Open-toe satin stitch foot F2
- Blind hem foot G
- 1/4" seam foot O
- Closed-toe darning foot PD-H
- Ruler work foot QR
- Automatic buttonhole foot R, Stabilizer plate
- Button sewing foot T, Button shank plate
- Free motion quilting (closed-toe foot QC, open-toe foot QO, zig zag foot QV)
- Quilting guide bar
- 2 Needle plates: Zig zag and Straight stitch
- Foot controller
- Semi-Hard case

^{*} MC9410QC is not A.S.R. Compatible

Memory Craft 8200QCP SE



[III 7

LHS

(@TL)

(×AF)





Easy Threading



Free Arm



One-step needle plate conversion | 2 Needle plates | 11" Throat space Knee lifter | Individual and combination stitch editing | Memorized needle up/down

FEATURES _

Technical

- Top loading full rotary hook
- One-step needle plate conversion
- Advanced needle plate
- 7-Piece feed dog
- One-handed needle threader
- Drop feed
- Snap-on presser feet
- Extra high presser foot lift
- Easy set bobbin
- Auto declutch bobbin winder
- Lighting: 5 LEDs in 3 locations
- Free arm / flat bed convertible
- Dual accessory bins plus upper storage
- Work space: W 11" x H 4.7"
- Size: W 20.4" x H 12.4" x D 9.1"
- Weight: 12 kg (26.5 lb)

Sewing

- AcuFeed Flex feeding system
- 170 Stitches with 3 fonts
- 10 One-step buttonholes
- Maximum stitch width: 9 mm
- Maximum stitch length: 5 mm
- Maximum sewing speed: 1,000 spm
- Needle positions: 91
- Twin needle setting
- Automatic thread tension
- Foot pressure adjustment
- Individual and combination stitch editing
- Last stitch recall capability
- Pattern stitch length calculator

Interactive

- LCD display with touch pad
- Start/stop, Reverse,
 Lock stitch, Needle up/down,
 Automatic thread cutter
- Speed control slider
- Knee lift

- Acufeed Dual feed foot AD and holder
- Zipper foot E
- Satin stitch foot F
- Open-toe satin stitch foot F2
- Blind hemming foot G
- Overcast foot M
- 1/4 seam foot O
- Darning foot PD-H
- Convertible free motion quilting foot set (Open-toe, Closed-toe, Clear view toe)
- Automatic buttonhole foot R
- Button sewing foot T
- Buttonhole stabilizer plate
- 2 Needle plates: Zig zag, Straight stitch
- Quilting guide bar
- Foot control
- Knee lifter

Memory Craft 6700P



||| 7

LHS

(9TL)

ĞAF





Professional Grade HP Foot and Needle Plate



One-Step Needle Plate Conversion



Independent bobbin winding motor | 3 Needle plates | 10" Throat space | Favourite stitch Seamless metal flatbed | 1,200 Stitches per minute | Knee lifter | Superior needle threader

FEATURES _

Technical

- Seamless 14.3" aluminum flatbed
- Ball bearing supported drive shaft
- 5 Memory banks
- Top Loading full rotary hook
- One-step needle plate conversion
- Advanced needle plate
- 7-Piece feed dog system
- Superior needle threader
- Drop feed
- Snap-on presser feet
- Extra high presser foot lift
- Independent bobbin winding motor
- Easy set bobbin
- Dual thread stand
- Lighting: 6 LEDs in 3 locations
- Work space: W 10 x H 4.7"
- Size: 20.3" L x 11.8" H x 8.6" D
- Weight: 11 kg (24.3 lb)

Sewing

- AcuFeed Flex fabric feeding system
- 200 Stitches with 5 fonts
- 9 One-step buttonholes
- Maximum stitch width: 9 mm
- Maximum stitch length: 5 mm
- Maximum sewing speed: 1,200 spm
- Needle positions: 91
- Twin needle setting
- Foot pressure adjustment
- Adjustable thread tension dial
- Programmable favourite stitches
- Individual and combination stitch editing

Interactive

- LCD display (3.6")
- Start/stop, Reverse, Lock stitch, Needle up/down, Automatic thread cutter
- Speed control slider
- Stitch adjustment dials (length and width)
- Function keys
- Knee lift

- Zig zag Foot A
- Overcast foot M
- Rolled hem foot (3mm) D
- Zipper foot E
- Satin stitch foot F
- Open-toe satin stitch foot F2
- Blind hem foot G
- 1/4" Seam foot O
- Darning foot PD-H
- Convertible free motion quilting foot set (Open-toe, Closed-toe, Clear view toe)
- Automatic buttonhole foot R
- Button sewing foot T
- Button shank plate
- AcuFeed dual feed foot AD and holder
- Professional Grade HP foot
- 3 Needle plates: Zig zag, Straight stitch, Professional grade HP
- Two tier accessory box
- Knee lifter
- Foot control
- Extension table
- Dust cover



Automatic Thread Cutter



Bright Lighting



Independent bobbin winding motor | 2 Needle plates | 10" Throat space | Favourite stitch Seamless metal flatbed | 1,000 stitches per minute | Superior needle threader

FEATURES _

Technical

- Seamless 14.3" aluminum flatbed
- Ball bearing supported drive shaft
- 5 Memory banks
- Top loading full rotary hook
- One-step needle plate conversion
- Advanced needle plate
- 7-Piece feed dog system
- Superior needle threader
- Drop feed
- Snap-on presser feet
- Extra high presser foot lift
- Independent bobbin winding motor
- Easy set bobbin
- Lighting: 6 LEDs in 3 locations
- Dual thread stand
- Remote thread cutter port
- Work space: W 10 x H 4.7"
- Size: 20.3" L x 11.8" H x 8.6" D
- Weight: 11 kg (24.3 lb)

Sewing

- Superior Feed System Plus
- 170 Stitches, plus 2 fonts
- 9 One-step buttonholes
- Maximum stitch width: 9 mm
- Maximum stitch length: 5 mm
- Maximum sewing speed: 1,000 spm
- Needle positions: 91
- Twin needle setting
- Foot pressure adjustment
- Adjustable thread tension dial
- Programmable favourite stitches
- Individual and combination stitch editing

Interactive

- LCD display (3.6")
- Start/stop, Reverse, Lock stitch, Needle up/down, Automatic thread cutter
- Speed control slider
- Stitch adjustment dials (length and width)
- Function keys
- Knee lift (optional)

- Zig zag foot A
- Overcast foot M
- Rolled hem foot D
- Zipper foot E
- Satin stitch foot F
- Blind hem foot G
- Darning foot PD-H
- Automatic buttonhole foot R
- Convertible free motion quilting foot set (Open-toe, Closed-toe, Clear view toe)
- Button shank plate
- 2 Needle plates: Zig zag, Straight stitch
- Foot control
- Dust cover





Ball Bearing Supported Drive Shaft



Higher Capacity Bobbin (1.4X larger)



Dedicated straight stitch | Smooth high speed operation (up to 1,600 spm) | Adjustable industrial thread tension Extension table | Independent bobbin winding motor | Vertical oscillating industrial like hook

FEATURES __

Technical

- Seamless metal flatbed
- Ball bearing supported drive shaft
- Vertical oscillating industrial like hook
- 3-Piece feed dog
- Built-in needle threader
- Extra high presser foot lift
- Higher capacity bobbin (1.4X Larger)
- Side loading bobbin
- Independent bobbin winding motor
- Lighting: Bright LEDs in 2 locations
- Vertical, two spool thread delivery
- Industrial pretension threading
- Up to 11 lb of presser foot pressure
- Remote thread cutter port (optional accessory)
- Work space: W 8" x H 5.5"
- Size: W 19.6" x D 7.2" H x 12.7"
- Weight: 14.5 kg (32 lb)

Sewing

- Dedicated straight stitch sewing machine
- Maximum stitch length: 6 mm
- Maximum sewing speed: 1,600 spm
- Straight stitch length control (manual)
- Adjustable industrial thread tension dial
- Foot pressure adjustment

Interactive

- Needle up/down
- Bobbin winding
- Speed control slider
- Automatic thread cutter
- Reverse lever
- Knee lift

Included Accessories

- Presser foot
- Hemmer foot
- Cloth guide
- 5 Higher capacity bobbins
- 5 Industrial needles (HLx5#14)
- Extra large extension table 16 x 24"
- Extra large foot controller
- Knee lifter
- Foot control
- Accessory box
- Dust cover

HD-9

Same features as the HD-9 Black Edition. Extension table, optional.



Skyline S7 Anniversary Edition



(III 7

LHS

(9TL)

ĞAF





HP Needle Plate and Foot (Compatible)



Stitch Composer Software



350 Stitches | 11 One-step buttonholes | Touchscreen | 8.3" Throat space | Free arm Knee lifter | Variable zig zag for free motion quilting | Automatic foot pressure adjustment

FEATURES _

Technical

- Top loading full rotary hook
- One-step needle plate conversion
- Advanced needle plate
- 7-Piece feed dog
- Superior needle threader 2
- Drop feed
- Snap-on presser feet
- Extra high presser foot lift
- Bobbin winding plate with cutter
- Easy set bobbin
- Auto declutch bobbin winder
- Lighting: 3 locations (6 LEDs)
- Free arm / flat bed convertible
- Accessory storage
- USB port
- Work space: 8.3" x 4.7" (210 x 120 mm)
- Size: W 20" x H 12.5" x D 8.6"
- Weight: 24.3 lb (11 kg)

Technology

- Stitch Composer (PC compatible software)

Sewing

- AcuFeed Flex fabric feeding system
- 350 Stitches with 10 fonts
- 11 One-step buttonholes
- Maximum stitch width: 9 mm
- Maximum stitch length: 5 mm
- Maximum sewing speed: 1,060 spm
- Needle positions: 91
- Twin needle setting
- Automatic thread tension
- Automatic foot pressure adjustment
- Variable zig zag for free motion quilting
- Tapering function

Interactive

- LCD touchscreen
- Buttons: Start/stop, Reverse, Lock stitch, Needle up/down, Automatic presser foot lift, Automatic thread cutter
- Speed control slider
- Knee lifter

Included Accessories

- Sewing feet: Zig zag foot A, Overedge foot M, Rolled hem foot D, Zipper foot E, Satin stitch foot F, Open-toe satin stitch foot F2, Blind hemming foot G, 1/4 seam foot O, Darning foot PD-H, Automatic buttonhole foot R with stabilizer plate, Button sewing foot T, Button shank plate, AcuFeed Flex foot
- Free motion quilting: Closed-toe foot QC, Open-toe foot QO, Zig zag foot QV
- 2 Needle plates: Zig zag, Straight stitch
- Quilting guide bar
- Adjustable knee lifter
- Large foot control
- Extension table
- Semi-hard fabric cover

Skyline Bonus

Skyline S6 Anniversary Edition



[||| 7

LHS

(©TL)

(×AF





Extension Table Included



Superior Needle Threader 2



196 Stitches \mid 10 One-step buttonholes \mid 8.3" Throat space \mid Automatic thread cutter Knee lifter \mid One-step needle plate \mid Free arm \mid LCD display with touch pad

FEATURES __

Technical

- Top loading full rotary hook
- One-step needle plate conversion
- Advanced needle plate
- 7-Piece feed dog
- Superior needle threader 2
- Drop feed
- Snap-on presser feet
- Extra high presser foot lift
- Bobbin winding plate with cutter
- Easy set bobbin
- Auto declutch bobbin winder
- Lighting: 3 locations (6 LEDs)
- Free arm / flat bed convertible
- Accessory storage
- Work space: 8.3" x 4.7" (210 x 120 mm)
- Size: W 20" x H 12.5" x D 8.6"
- Weight: 23.6 lb (10.7 kg)

Sewing

- AcuFeed Flex fabric feeding system
- 196 Stitches with 4 fonts
- 10 One-step buttonholes
- Maximum stitch width: 9 mm
- Maximum stitch length: 5 mm
- Maximum sewing speed: 1,000 spm
- Needle positions: 91
- Twin needle setting
- Automatic thread tension
- Foot pressure adjustment

Interactive

- LCD display with touch pad
- Start/stop
- Reverse
- Lock stitch
- Needle up/down
- Automatic thread cutter
- Speed control slider
- Knee lifter

Included Accessories

- Sewing Feet: Zig zag foot A, Overedge foot M, Satin stitch foot F, Blind hemming foot G, Zipper foot E, Automatic buttonhole foot R, Stabilizer plate, Button sewing foot T, Darning foot PD-H, Rolled hem foot D, AcuFeed Flex foot
- Quilting guide bar
- 2 Needle plates: zig zag, straight stitch
- Foot control
- Extension Table
- Adjustable knee lifter
- Semi-hard fabric cover

Skyline Bonus

Skyline S5 Anniversary Edition



[||| 7

LHS

(©TL)





Extension Table Included



2 Needle Plates: Zig zag, Straight stitch



170 Stitches | 10 One-step buttonholes | LCD display with touch pad | Automatic thread cutter Knee lifter | One-step needle plate | Free arm | Superior Feed System Plus

FEATURES __

Technical

- Top loading full rotary hook
- One-step needle plate conversion
- Advanced needle plate
- 7-Piece feed dog
- Superior needle threader 2
- Drop feed
- Snap-on presser feet
- Extra high presser foot lift
- Bobbin winding plate with cutter
- Easy set bobbin
- Auto declutch bobbin winder
- Lighting: 3 locations (6 LEDs)
- Free arm / flat bed convertible
- Accessory storage
- Work space: 8.3" x 4.7" (210 x 120 mm)
- Size: W 20" x H 12.5" x D 8.6"
- Weight: 21.8 lb (9.9 kg)

Sewing

- Superior Feed System Plus
- 170 Stitches with 4 fonts
- 10 One-step buttonholes
- Maximum stitch width: 9 mm
- Maximum stitch length: 5 mm
- Maximum sewing speed: 1,000 spm
- Needle positions: 91
- Twin needle setting
- Automatic thread tension
- Foot pressure adjustment

Interactive

- LCD display with touch pad
- Start/stop
- Reverse
- Lock stitch
- Needle up/down
- Automatic thread cutter
- Speed control slider
- Knee lifter

Included Accessories

- Sewing feet: Zig zag foot A, Rolled hem foot D, Zipper foot E, Satin stitch foot F, Blind hemming foot G, Overcast foot M, 1/4 Seam foot O, Darning foot PD-H, Automatic buttonhole foot R with stabilizer plate, Even feed foot, Button sewing foot T
- Quilting guide bar
- 2 Needle plates: zig zag, straight stitch
- Foot controller
- Adjustable knee lifter
- Semi-hard fabric cover

Skyline Bonus



Skyline S3 Anniversary Edition



[||| 7

(LHS)

(@TL)





Extension Table Included



Free Arm with Storage Compartment



120 Stitches | 7 One-step buttonholes | LCD display with touch pad | Automatic thread cutter Advanced needle plate | Free arm | Superior Feed System Plus | Extra high presser foot lift

FEATURES __

Technical

- Top loading full rotary hook
- Advanced needle plate
- 7-Piece feed dog
- Superior needle threader 2
- Drop feed
- Snap-on presser feet
- Extra high presser foot lift
- Easy bobbin winder
- Easy set bobbin
- Lighting: 2 locations (4 LEDs)
- Free arm / flat bed convertible
- Accessory storage
- Work space: 8.3" x 4.7" (210 x 120 mm)
- Size: W 20" x H 12.5" x D 8.6"
- Weight: 20.9 lb (9.5 kg)

Sewing

- Superior Feed System Plus
- 120 Stitches with alphabet
- 7 One-step buttonholes
- Maximum stitch width: 7 mm
- Maximum stitch length: 5 mm
- Maximum sewing speed: 820 spm
- Needle positions: 15
- Twin needle setting
- Automatic thread tension
- Foot pressure adjustment

Interactive

- LCD display with touch pad
- Start/stop
- Reverse
- Lock stitch
- Needle up/down
- Automatic thread cutter
- Speed control slider

Included Accessories

- Zig zag foot A
- Zipper foot E
- Satin stitch foot F
- Blind hemming foot G
- 1/4 seam foot O
- Automatic buttonhole foot R
- Foot controller
- Extension Table
- Semi-hard fabric cover

Skyline Bonus



5300 QDC-G

₹7

[||| 7

(LS)

(@TL)





Twin Needle Setting



3 Optic Magnifiers (20x, 40x, 60x)



Superior Feed System Plus | 300 Stitches plus alphabet | 12 One-step buttonholes | Automatic thread cutter Easy set bobbin | Stitch pattern programming | Extension table | Hard case | Quilt kit

FEATURES __

Technical

- Top loading full rotary hook
- Advanced needle plate
- 7-Piece feed dog
- One-handed needle threader
- Drop feed
- Snap-on presser feet
- Extra high presser foot lift
- Easy set bobbin
- Auto declutch bobbin winder
- Lighting: Bright LED
- Free arm / flat bed convertible
- Accessory storage
- Work space: W 6.8" x H 4.5"
- Size: W 15.9"× H 11.8 × D 6.8"
- Weight: 6.9 kg (15.2 lb)

Sewing

- Superior Feed System Plus
- 300 Stitches plus 100 alphabet characters
- 12 One-step buttonholes
- Maximum stitch width: 7 mm
- Maximum stitch length: 5 mm
- Maximum sewing speed: 820 spm
- Needle positions: 15
- Thread tension control dial
- Adjustable foot pressure
- Stitch pattern combinations: Up to 50
- Mirrored editing

Interactive

- LCD display with touch pad
- Start/stop
- Reverse
- Lock stitch
- Needle up/down
- Automatic thread cutter
- Twin needle
- Speed control slider
- Knee lift

Included Accessories

- Zig zag foot A
- Overedge foot C
- Zipper foot E
- Satin stitch foot F
- Blind hem foot G
- Automatic buttonhole foot R
- Overcasting foot M
- 3 Optic Magnifiers (20x, 40x, 60x)
- Extension table
- Knee lifter
- Foot control
- Hard case

Bonus: Quilting kit with 1/4" Seam foot O, Open-toe satin stitch foot F2, Darning foot PD-H, Even feed foot, Cloth guide and Quilt guide bar

4120 QDC-G



(||| 7

(<u>\LS</u>)

(9TL)





Twin Needle Setting



Detachable Stitch Reference Chart



Enhanced needle plate | Stitch pattern programming

Superior Feed System Plus | 120 Stitches plus alphabet | 7 One-step buttonholes | Automatic thread cutter Extension table | Hard case | Quilt kit

FEATURES __

Technical

- Top loading full rotary hook
- Enhanced needle plate
- 7-Piece feed dog
- One-handed needle threader
- Drop feed
- Snap-on presser feet
- Extra high presser foot lift
- Auto declutch bobbin winder
- Lighting: Bright LED
- Free arm / flat bed convertible
- Accessory storage
- Work space: W 6.8" x H 4.5"
- Size: W 15" x H 8.4" x D 6.9"
- Weight: 6.5 kg (14.3 lb)

Sewing

- Superior Feed System Plus
- 120 Stitches, plus alphabet
- 7 One-Step buttonholes
- Maximum stitch width: 7 mm
- Maximum stitch length: 5 mm
- Maximum sewing speed: 820 spm
- Needle positions: 15
- Thread tension control dial
- Adjustable foot pressure
- Stitch pattern combinations: Up to 50
- Mirrored editing

Interactive

- LCD display with touch pad
- Start/stop
- Reverse
- Lock stitch
- Needle up/down
- Automatic thread cutter
- Twin needle
- Speed control slider

Included Accessories

- Zig zag foot A
- Overedge foot C
- Zipper foot E
- Satin stitch foot F
- Blind hem foot G
- Automatic buttonhole foot R
- 1/4" Seam foot O
- Extension table
- Foot control
- Hard case

Bonus: Quilting kit with 1/4" Seam foot O, Open-toe satin stitch foot F2, Darning foot PD-H, Even feed foot, Cloth guide and Quilt guide bar

3160 QDC-G



[||| 7

(LS)

(9TL)





One-Handed Needle Threader



LCD Screen with Direct Selection Keys



Superior Feed System Plus

60 Stitches | 7 One-step buttonholes | Automatic thread cutter Enhanced needle plate | Extension table | Hard case | Quilt kit

FEATURES _

Technical

- Top loading full rotary hook
- Enhanced needle plate
- 7-Piece feed dog
- One-handed needle threader
- Drop feed
- Snap-on presser feet
- Extra high presser foot lift
- Auto declutch bobbin winder
- Lighting: Bright LED
- Free arm / flat bed convertible
- Accessory storage
- Work space: W 6.8" x H 4.5"
- Size: W 15 x H 8.4 x D 6.9"
- Weight: 5.7 kg (12.6 lb)

Sewing

- Superior Feed System Plus
- 60 Stitches
- 7 One-step buttonholes
- Maximum stitch width: 7 mm
- Maximum stitch length: 5 mm
- Maximum sewing speed: 820 spm
- Needle positions: 15
- Thread tension control dial
- Foot pressure adjustment

Interactive

- LCD display with stitch navigation keys
- Start/stop
- Reverse
- Lock stitch
- Needle up/down
- Automatic thread cutter
- Speed control slider

Included Accessories

- Zig zag foot A
- Overedge foot C
- Zipper foot E
- Satin stitch foot F
- Blind hem foot G
- Automatic buttonhole foot R
- 1/4" Seam foot O
- Extension table
- Foot control
- Hard case

Bonus: Quilting kit with 1/4" Seam foot O, Open-toe satin stitch foot F2, Darning foot PD-H, Even feed foot, Cloth guide and Quilt guide bar

2030 DC-G



[||| 7

LS

(@TL)





Built-in Needle Threader



Free Arm with Storage



Superior Feed System Plus Standard needle plate | 30 Stitches | 3 One-step buttonholes Dust cover

FEATURES _

Technical

- Top loading full rotary hook
- Standard needle plate
- 7-Piece feed dog
- One-handed needle threader
- Drop feed
- Snap-on presser feet
- Extra high presser foot lift
- Auto declutch bobbin winder
- Lighting: Bright LED
- Free arm / flat bed convertible
- Accessory storage
- Work space: W 6.8" x H 4.5"
- Size: W 15" x H 8.4" x D 6.9"
- Weight: 5.6 kg (12.3 lb)

Sewing

- Superior Feed System Plus
- 30 Stitches
- 3 One-step buttonholes
- Maximum stitch width: 7 mm
- Maximum stitch length: 5 mm
- Maximum sewing speed: 820 spm
- Needle positions: 15
- Thread tension control dial

Interactive

- LCD display with stitch navigation keys
- Start/stop
- Reverse
- Lock stitch
- Needle up/down
- Speed control slider

- Zig zag foot A
- Overedge foot C
- Zipper foot E
- Satin stitch foot F
- Blind hem foot G
- Automatic buttonhole foot R
- Foot control
- Dust cover

C30



[||| 4

(LS)

(9TL)





Adjustable Thread Tension



Easy Stitch Selection



Built-in Needle Threader | Extra high presser foot lift | Memory buttonhole | Free Arm

FEATURES _

Technical

- Top loading full rotary hook
- Standard needle plate
- 4-Piece feed dog
- Built-in needle threader
- Drop feed
- Snap-on presser feet
- Extra high presser foot lift
- Auto declutch bobbin winder
- Lighting: Bright LED
- Free arm / flat bed convertible
- Accessory storage
- Work space: W 6.2" x H 3.9"
- Size: W 15.1" x H 11" x D 6.4"
- Weight: 5 kg (11 lb)

Sewing

- 30 Stitches
- Memory buttonhole
- Maximum stitch width: 5 mm
- Maximum stitch length: 4 mm
- Maximum sewing speed: 820 spm
- Needle positions: 15
- Thread tension control dial

Interactive

- LCD numeric display with stitch navigation keys
- Reverse
- Lock stitch
- Needle up/down

Notable Accessories Included

- Zig zag foot A
- Zipper foot E
- Satin stitch foot F
- Sliding one-step buttonhole foot
- Foot control
- Instruction book
- Quick start guide
- Dust cover

HD5000

(≥ 6.5)

[||| 7

(LS)

(9TL)

(**☆** M)





One Touch Bobbin Cover



Top Storage with Stitch Chart



Stitch width and length control | Heavy duty sewing | Buttonhole balance adjustment dial | Free arm

FEATURES _

Technical

- Top loading full rotary hook
- Enhanced needle plate
- 7-Piece feed dog
- Built-in needle threader
- Drop feed
- Snap-on presser feet
- Extra-high presser foot lift
- Auto-declutch bobbin winder
- Drop-in bobbin
- One-touch bobbin cover
- LED Lighting
- Free arm / flat bed convertible
- Free arm storage
- Top accessory storage with flip chart
- Carry handle
- Size: W 16" x H 11.3" x D 7.2"
- Weight: 8.5 kg (18.7 lb)

Sewing

- Superior Feed System
- 18 Stitches
- Automatic one-step buttonhole
- Maximum stitch width: 6.5 mm
- Maximum stitch length: 4 mm
- Thread tension control dial
- Adjustable foot pressure

Interactive

- Stitch selection dial
- Stitch length control
- Zig zag width control
- Reverse stitch lever
- Buttonhole balance adjustment

Notable Accessories Included

- Blind hem foot G
- Rolled hem foot D
- Zipper foot E
- Zig zag foot A
- Satin stitch foot F
- Overedge foot C
- Automatic buttonhole foot R
- Quilt guide bar
- Foot controller
- Hard case

HD3000-BE

(≥ 6.5)

[||| 7

(LS)

(9TL)

(**☆** M)





Solid Heavy Duty Construction



Convenient Storage



Stitch width and length control | Heavy duty sewing | Automatic one-step buttonhole | Free arm

FEATURES __

Technical

- Top loading full rotary hook
- Enhanced needle plate
- 5-Piece feed dog
- Built-in needle threader
- Drop feed
- Snap-on presser feet
- Extra high presser foot lift
- Auto declutch bobbin winder
- One-touch bobbin cover
- LED Lighting
- Free arm / flat bed convertible
- Free arm storage
- Top accessory storage with flip chart
- Carry handle
- Size: W 16" x H 11.3" x D 7.2"
- Weight: 8.5 kg (18.7 lb)

Sewing

- Superior Feed System
- 18 Stitches
- Automatic one-step buttonhole
- Maximum stitch width: 6.5 mm
- Maximum stitch length: 4 mm
- Thread tension control dial
- Adjustable foot pressure

Interactive

- Stitch selection dial
- Stitch length control
- Zig zag width control
- Reverse stitch lever

Notable Accessories Included

- Overedge foot C
- Zipper foot E
- Blind hem foot G
- Rolled hem foot D
- Zig zag foot A
- Transparent buttonhole foot B
- Automatic buttonhole foot R
- Foot controller
- Hard case

Bonus: Quilt kit with 1/4" Seam foot O, Open-toe satin stitch foot F2, Darning foot PD-H, Even feed foot, Cloth guide and Quilt guide bar

HD1000-BE



[||| 3

(LS)

(@FL)

⇔ M





Built-in Needle Threader



Accessory Storage



14 Stitches | Four-step buttonhole | Vertical spool pins | Free arm

FEATURES _

Technical

- Front loading oscillating hook
- Metal needle plate
- 3-Piece feed dog
- Built-in needle threader
- Drop feed
- Snap-on presser feet
- Extra high presser foot lift
- LED Lighting
- Free arm / flat bed convertible
- Accessory storage
- Size: W 15.6" x H 12.4" x D 6.3"
- Weight: 7.6 kg (16.8 lb)

Sewing

- 14 Stitches
- Four-step buttonhole
- Maximum stitch width: 5 mm
- Maximum stitch length: 4 mm
- Thread tension control dial

Interactive

- Stitch selection dial
- Stitch length adjustment dial
- Stitch width adjustment dial
- Reverse stitch lever

Included Accessories

- Zig zag foot A
- Zipper foot E
- Rolled hem foot D
- Blind-hem guide attachment
- Buttonhole foot R
- Foot controller
- Hard case

Bonus: Ultraglide foot U, Even feed foot, Leather needle pack

HD1000

Same features as the HD-1000 Black Edition



Sewist 625E



[||| 5



(9TL)







Speed Control Slider



Built-in Needle Threader



25 Stitches

One-step buttonhole | Speed control slider | Free arm

FEATURES _

Technical

- Top loading full rotary hook
- Enhanced needle plate
- 5-Piece feed dog
- Built-in needle threader
- Drop feed
- Snap-on presser feet
- Extra high presser foot lift
- Krypton lamp
- Free arm / flat bed convertible
- Accessory storage
- Size: W 16.5" x H 11.7" x D 7.1"
- Weight: 7.5 kg (18.7 lb)

Sewing

- 25 Stitches
- One-Step buttonhole
- Maximum stitch width: 5 mm
- Maximum stitch length: 4 mm
- Thread tension control dial
- Adjustable foot pressure

Interactive

- Needle up/down
- Speed control slider
- Stitch selection dial
- Stitch length adjustment dial
- Stitch width adjustment dial
- Reverse stitch lever

- Overedge foot C
- Zipper foot E
- Blind hemming foot G
- Buttonhole foot B
- Automatic buttonhole foot R
- Foot controller
- Hard case

SUV1108



[||| 5

LS

(9FL)

♠ M





Metal Frame Construction



Twin Vertical Spool Pins



8 Stitches | Front loading bobbin | Includes even feed foot and 1/4" seam foot | Free arm

FEATURES _

Technical

- Metal frame construction
- Front-loading bobbin
- Vertical oscillating hook
- Metal needle plate
- Twin Vertical Spool Pins
- 5-Piece feed dog
- Drop feed
- Snap-on presser feet
- Extra high presser foot lift
- LED Lighting
- Free arm / flat bed convertible
- Size: W 15.2" x H 11.6" x D 6"
- Weight: 5.9 kg (13 lb)

Sewing

- 8 Stitches
- Stretch stitch and zig zag control
- Four-Step buttonhole
- Maximum stitch width: 5 mm
- Maximum stitch length: 4 mm
- Thread tension control dial

Interactive

- Stitch selection dial
- Stitch length adjustment dial
- Reverse stitch lever

- Zig zag foot A
- Satin stitch foot F
- Zipper foot E
- Rolled hem foot D and guide
- Sliding buttonhole foot J
- Overedge foot C
- -1/4" Seam foot O
- Even feed foot
- Foot controller
- Dust cover

MyStyle 100



[||| 5

(LS)

(9 TL)

♠ M





Drop-in Bobbin



Quick Foot Conversion



Top loading drop-In bobbin | 15 Stitches | Metal frame construction | Free arm

FEATURES _

Technical

- Top loading full rotary hook
- Enhanced needle plate
- 5-Piece feed dog
- Drop feed
- Snap-on presser feet
- Extra high presser foot lift
- LED Lighting
- Free arm / flat bed convertible
- Size: W 15.2" x H 11.1" x D 6.5"
- Weight: 5.3 kg (11.7 lb)

Sewing

- 15 Stitches
- Stretch stitch and zig zag control
- Four-step buttonhole
- Maximum stitch width: 5 mm
- Maximum stitch length: 4 mm
- Thread tension control dial
- Adjustable foot pressure

Interactive

- Stitch selection dial
- Stitch length adjustment dial
- Reverse stitch button

- Zig zag foot A
- Zipper foot E
- Blind hem foot G
- Sliding buttonhole foot J
- Foot controller

1522RD



[||| 3

(LS)

(9FL)

♠ M





Extra-Wide Sewing Bed



Large Open-Top Storage Compartment



Extra-wide sewing bed | 22 Stitches | 2 Vertical spools pins

Built-in needle threader | Foot pressure adjustment dial | Front loading bobbin

FEATURES __

Technical

- Metal frame construction
- Front loading bobbin
- Vertical oscillating hook
- Twin Vertical Spool Pins
- Auto declutch bobbin winder
- 3-Piece feed dog
- Metal needle plate
- One-handed needle threader
- Built-in thread cutter (Face plate)
- Drop feed
- Snap-on presser feet
- Extra high presser foot lift
- LED Lighting
- Large accessory storage
- Size: W 17" x H 11" x D 7.5"
- Weight: 6.0 kg (14.3 lb)

1522BL

Same features as 1522RD

Sewing

- 22 Stitches
- One-step buttonhole
- Maximum stitch width: 5 mm
- Maximum stitch length: 4 mm
- Thread tension control dial
- 3 Step foot pressure adjustment dial

Interactive

- Stitch selection dial
- Stitch length adjustment dial
- Stitch width adjustment dial
- Reverse stitch lever

- Zig zag foot A
- Zipper foot E
- Satin stitch foot F
- Automatic buttonhole foot R
- Button sewing foot T
- Blind hem foot G
- Thread and stitch reference card
- Foot controller

Artistic Crystal

(≥ 5)

[||| 3

(LS)

(9FL)

♠ M





Free Arm Sewing



Metal Needle Plate



Front loading bobbin | 15 Stitches | Metal frame construction | Free arm

FEATURES _

Technical

- Metal frame construction
- Front loading bobbin
- Vertical oscillating hook
- Twin Vertical Spool Pins
- Auto declutch bobbin winder
- 3-Piece feed dog
- Metal needle plate
- Drop feed
- Snap-on presser feet
- Extra high presser foot lift
- LED Lighting
- Size: W 15.2" x H 11.6" x D 6"
- Weight: 5.9 kg (13 lb)

Sewing

- 15 Stitches
- Four-step buttonhole
- Maximum stitch width: 5 mm
- Maximum stitch length: 4 mm
- Thread tension control dial

Interactive

- Stitch selection dial
- Stitch length adjustment dial
- Reverse stitch lever

Included Accessories

- Zig zag foot A
- Zipper foot E
- Sliding buttonhole foot J
- Blind hem foot G
- Darning plate
- Foot controller
- Quick start and bobbin loading guide

Same features as Arctic Crystal



AT2000D









Built-in 2-Thread Converter



Integrated Stitch Length and Differential Feed



One-push air threading system | 2 Position needle threader | 1,300 spm Quick change rolled hem | 2, 3 and 4 Thread convertible | 8-Piece feed dog

FEATURES __

Technical

- One-push air threading: Upper and lower looper thread
- 2 Position needle threader (L/R)
- Integrated stitch length / differential feed
- Ball bearing supported drive shaft
- Easily accessible lower looper
- Lower looper pretension setting slider
- Snap-on presser feet
- 8-Piece feed dog
- LED Lighting
- Manual thread tension adjustment
- 4 Spools with telescoping thread stand
- Colour coded thread guides
- Safety switch sensor for looper, side cover, and presser foot
- Easily retractable upper knife
- Maximum sewing speed: 1,300 spm
- Integrated handle
- Size: W 13.6" x H 11.7" x D 11.2"
- Weight: 7.9 kg (17.4 lb)

Sewing

- 2, 3 and 4 thread convertible
- Adjustable cutting width 3.3 to 7.5 mm
- Adjustable foot pressure
- Easy lay-in tension dials
- Adjustable stitch length 1 to 5 mm
- Differential feed ratio 0.5 to 2.0

Stitches

- 4 Thread overlock
- 3 Thread overlock (wide/narrow)
- 3 Thread rolled hem
- 3 Thread picot edging
- 3 Thread narrow hem
- 2 thread overlock (wide/narrow)

- Standard serger foot
- Low profile waste chip box
- Accessory box
- Screwdrivers (large and small)
- Double ended spanner
- Needle set
- Tweezers
- Spool caps and nets
- Lint brush
- Needle holder/spreader pin
- Upper knife replacement blade
- Looper threading wire
- Oil
- Foot controller
- Dust cover

MyLock 454D

<u>(1</u> 4)

[||| 8





Vibration Dampening Rubber Feet



Smooth Release Upper knife Mechanism



3 and 4 Thread convertible | 8-Piece feed dog | Lay-in tension dials

Improved presser foot design | Improved lower looper threading | Quick change rolled hem

FEATURES ____

Technical

- Vibration dampening Hanenite rubber feet
- Redesigned snap-on presser foot
- Easily accessible lower looper guides
- 8-Piece feed dog
- LED Lighting
- Tension release mechanism
- 4 Spools and telescoping thread stand
- Colour coded thread guides
- Smooth upper knife release knob
- Improved motor torque
- Maximum speed: 1,300 spm
- Integrated handle
- Size: W 12.2" x H 11.0" x D 10.6"
- Weight: 6.5 kg (14.3 lb)

Sewing

- 3 and 4 Thread convertible
- Adjustable cutting width: 3.1 to 7.3 mm
- Adjustable foot pressure
- Easy lay-in tension dials
- Adjustable stitch length: 1 to 4 mm
- Differential feed ratio: 0.5 2.25

Stitches

- 4 Thread overlock
- 3 Thread overlock (wide/narrow)
- 3 Thread rolled hem
- 3 Thread picot edging
- 3 Thread narrow hem

- Serger foot
- Screwdrivers (large and small)
- Needle set
- Tweezers
- Foot controller

PRO 4DX









Easy Drop Knife



Differential Feed



Quick change rolled hem | Easily accessible lower looper

2, 3 and 4 Thread convertible | Solid metal base for heavy duty performance

FEATURES __

Technical

- Easily accessible lower looper
- Lower looper pretension setting slider
- Snap-on presser feet
- 4-Piece feed dog
- LED Lighting
- Manual thread tension adjustment
- 4 Spools with thread stand
- Colour coded thread guides
- Easily retractable upper knife
- Maximum sewing speed: 1,300 spm
- Integrated handle
- Size: W 10" x H 12" x D 10.5"
- Weight: 6.5 kg (14.3 lb)

Sewing

- 2, 3 and 4 thread convertible
- Quick change rolled hem
- Adjustable cutting width 3.0 to 5.0 mm
- Adjustable foot pressure
- Easy lay-in tension dials
- Adjustable stitch length 1 to 5 mm
- Differential feed ratio 0.5 to 2.25

Stitches

- 4 Thread overlock
- 3 Thread overlock (wide/narrow)
- 3 Thread rolled hem
- 3 Thread picot edging
- 3 Thread narrow hem
- 2 thread overlock (wide/narrow)

- Standard serger foot
- Accessory box
- Upper knife replacement blade
- Screwdrivers (large and small)
- Oil
- Lint brush
- Needle set
- Needle threader
- Spool caps and nets
- Spreader
- Spanner
- Foot controller
- Dust cover

FA4









Free Arm



Self-threading Lower Looper



Free arm | 2, 3 and 4 Thread convertible | Quick change rolled hem Lower looper pre-tension setting slider | Easily retractable upper knife | Tension release

FEATURES __

Technical

- Free arm/Flat bed convertible
- Easily accessible lower looper
- Snap-on presser feet
- 4-Piece feed dog
- LED Lighting
- Manual thread tension adjustment
- Tension release device
- Thread cutter
- Differential feed adjustment
- Lower looper pre-tension setting slider
- 4 Spools with telescoping thread stand
- Colour coded thread guides
- Easily retractable upper knife
- Maximum sewing speed: 1,300 spm
- Carry handle
- Size: W 10.5" x H 12" x D 11.5"
- Weight: 8.0 kg (17.6 lb)

Sewing

- 2, 3 and 4 thread convertible
- Quick change rolled hem
- Adjustable cutting width 3.1 to 7.3 mm
- Adjustable foot pressure
- Easy lay-in tension dials
- Adjustable stitch length 1 to 5 mm
- Differential feed ratio 0.5 to 2.5

Stitches

- 4 Thread overlock
- 3 Thread overlock (wide/narrow)
- 3 Thread rolled hem
- 3 Thread picot edging
- 3 Thread narrow hem
- 2 thread overlock (wide/narrow)

- Standard serger foot
- Accessory and waste chip box
- Upper knife replacement blade
- Screwdrivers (large and small)
- Oil
- Lint brush
- Tweezers
- Needle set
- Needle threader
- Spool caps and nets
- Spreader
- Spanner
- Foot controller

Four DLB









Solid Metal Construction



Easy Thread Changes



3 and 4 thread convertible

| Quick change rolled hem | Adjustable foot pressure Easily retractable upper knife | Easily accessible lower looper

FEATURES __

Technical

- Easily accessible lower looper
- Snap-on presser feet
- 4-Piece feed dog
- LED Lighting
- Manual thread tension adjustment
- Tension release device
- Thread cutter
- Differential feed adjustment
- 4 Spools with telescoping thread stand
- Colour coded thread guides
- Easily retractable upper knife
- Maximum sewing speed: 1,300 spm
- Integrated handle
- Size: W 10" x H 11.5" x D 10.5"
- Weight: 6.5 kg (14.3 lb)

Sewing

- 3 and 4 thread convertible
- Adjustable cutting width 3.1 to 5.0 mm
- Adjustable foot pressure
- Easy lay-in tension dials
- Adjustable stitch length 1 to 4 mm
- Differential feed ratio 0.5 to 2.25

Stitches

- 4 Thread overlock
- 3 Thread overlock (wide/narrow)
- 3 Thread rolled hem
- 3 Thread picot edging
- 3 Thread narrow hem

- Standard serger foot
- Screwdrivers (large and small)
- Tweezers
- Needle Set
- Foot controller

8002D









3 and 4 Thread



Retractable Upper Knife



3 and 4 Thread convertible | Adjustable foot pressure Adjustable cutting width 3.1 to 7.3 mm | Easily retractable upper knife

FEATURES _

Technical

- Easily accessible lower looper
- Snap-on presser feet
- 4-Piece feed dog
- LED Lighting
- Manual thread tension adjustment
- 4 Spools with telescoping thread stand
- Colour coded thread guides
- Easily retractable upper knife
- Maximum sewing speed: 1,300 spm
- Integrated handle
- Size: W 12.5" x H 11.5" x D 11"
- Weight: 6.1 kg (13.4 lb)

Sewing

- 3 and 4 thread convertible
- Adjustable cutting width 3.1 to 7.3 mm
- Adjustable foot pressure
- Adjustable stitch length 1 to 4 mm
- Differential feed ratio 0.5 to 2.25

Stitches

- 4 Thread overlock
- 3 Thread overlock (wide/narrow)
- 3 Thread rolled hem
- 3 Thread picot edging
- 3 Thread narrow hem

Included Accessories

- Standard serger foot
- Screwdrivers (large and small)
- Tweezers
- Needle set
- Foot controller

Magnolia 7034D

Same feature



CoverPro 3000 Professional









Built-in Top Cover Stitch



3 Position Needle Threader



Free arm | Retractable sewing light | Extra wide feed dogs

Built-in top cover stitch | Tension level control | 2, 3, 4 and 5 Thread convertible

FEATURES __

Technical

- 3 Position needle threader
- Free arm / Flat bed convertible
- Ball bearing supported drive shaft
- Snap-on presser feet
- Extra wide 8 Piece feed dog
- Easy access to lower looper
- LED Lighting with retractable sewing light
- Tension Level Control (TLC) prevents puckering on fine fabric
- Manual thread tension adjustment
- 5 Spools with telescoping thread stand
- Colour coded thread guides
- Maximum sewing speed: 1,000 spm
- Integrated handle
- Size: W 13.6" x H 14.5" x D 9.25"
- Weight: 8.6 kg (18.9 lb)

Sewing

- Built-in top cover stitch guide
- 2, 3, 4 and 5 thread convertible
- Adjustable foot pressure
- Easy lay-in tension dials
- Adjustable stitch length 1 to 4 mm
- Differential feed ratio 0.5 to 2.5

Stitches

- Triple top cover stitch: 5 Thread (6 mm)
- Top cover stitch: Narrow/Wide (3 mm/6 mm)
- Triple cover stitch (6 mm)
- Cover stitch: Narrow/Wide (3 mm/6 mm)
- Chain stitch

- Standard presser foot
- Clear view foot
- Accessory box
- Screwdrivers (large and small)
- Lint brush
- Tweezers
- Needle Set
- Needle threader
- Spool caps and netsTension release clip
- Foot controller
- Dust Cover





Quick Reference Chart



Free Arm



Free arm | 2, 3 and 4 Thread convertible | Seam tightening system Tension level control | Quick reference chart

FEATURES __

Technical

- Free arm / Flat bed convertible
- Snap-on presser feet
- Tension Level Control
- Seam Tightening System
- 8-Piece feed dog
- LED Lighting
- Manual thread tension adjustment
- 4 Spools with telescoping thread stand
- Colour coded thread guides
- Maximum sewing speed: 1,000 spm
- Size: W 16" x H 13.5" x D 9.5"
- Weight: 7.8 kg (17.1 lb)

Sewing

- 2, 3 and 4 thread convertible
- Adjustable foot pressure
- Easy lay-in tension dials
- Adjustable stitch length 1 to 4 mm
- Differential feed ratio 0.5 to 2.25

Stitches

- Triple cover stitch (6mm)
- Cover stitch: Narrow/Wide (3 mm/6 mm)
- Chain stitch

- Standard presser foot
- Accessory box
- Needle threader
- Screwdrivers (large and small)
- Lint brush
- Tweezers
- Needle Set
- Spool caps and nets
- Foot controller
- Dust cover

Notes



Janome Canada Sewing Machine Reference Guide













JANOME

www.janome.ca